

Official Journal of the European Union

C 204



English edition

Information and Notices

Volume 62

17 June 2019

Contents

II *Information*

INFORMATION FROM EUROPEAN UNION INSTITUTIONS, BODIES, OFFICES AND AGENCIES

European Commission

2019/C 204/01 Common catalogue of varieties of vegetable species — fourth supplement to the 37th complete edition 1

EN

II

(Information)

INFORMATION FROM EUROPEAN UNION INSTITUTIONS, BODIES, OFFICES AND AGENCIES

EUROPEAN COMMISSION

COMMON CATALOGUE OF VARIETIES OF VEGETABLE SPECIES

fourth supplement to the 37th complete edition

(2019/C 204/01)

Contents

	Page
Legend	4
List of vegetable species	5
1 <i>Allium cepa</i> L.	5
1.1 <i>Allium cepa</i> L. Aggregatum group - Shallot	5
1.2 <i>Allium cepa</i> L. Cepa group - Onion, Echalion	5
2 <i>Allium fistulosum</i> L. Japanese bunching onion / Welsh onion	5
3 <i>Allium porrum</i> L. Leek	5
4 <i>Allium sativum</i> L. Garlic	5
7 <i>Apium graveolens</i> L. Celery	6
7.1 <i>Apium graveolens</i> L. Celery	6
7.2 <i>Apium graveolens</i> L. Celeriac	6
9 <i>Beta vulgaris</i> L.	6
9.1 <i>Beta vulgaris</i> L. Beetroot, including Cheltenham beet	6
9.2 <i>Beta vulgaris</i> L. Spinach beet or Chard	6
10 <i>Brassica oleracea</i> L.	6
10.1 <i>Brassica oleracea</i> L. Curly kale	7
10.2 <i>Brassica oleracea</i> L. Cauliflower	7
10.3 <i>Brassica oleracea</i> L. Sprouting broccoli / Calabrese	7
10.4 <i>Brassica oleracea</i> L. Brussels sprouts	7
10.5 <i>Brassica oleracea</i> L. Savoy cabbage	7
10.6 <i>Brassica oleracea</i> L. White cabbage	7
10.7 <i>Brassica oleracea</i> L. Red cabbage	7
10.8 <i>Brassica oleracea</i> L. Kohlrabi	7
11 <i>Brassica rapa</i> L.	7
11.1 <i>Brassica rapa</i> L. Chinese cabbage	7
11.2 <i>Brassica rapa</i> L. Turnip	7

	Page
12 <i>Capsicum annuum</i> L. Chili, Pepper	7
13 <i>Cichorium endivia</i> L. Endive	8
13.1 <i>Cichorium endivia</i> L. Curled-leaved endive	8
13.2 <i>Cichorium endivia</i> L. Plain-leaved endive	8
14 <i>Cichorium intybus</i> L. Chicory	8
14.1 <i>Cichorium intybus</i> L. Witloof chicory	8
14.2 <i>Cichorium intybus</i> L. Large-leaved chicory / Italian chicory	8
14.3 <i>Cichorium intybus</i> L. Industrial chicory	8
16 <i>Cucumis melo</i> L. Melon	8
17 <i>Cucumis sativus</i> L. Cucumber/Gherkin	9
17.1 <i>Cucumis sativus</i> L. Cucumber	9
17.2 <i>Cucumis sativus</i> L. Gherkin	9
18 <i>Cucurbita Maxima</i> Duchesne Gourd	9
19 <i>Cucurbita pepo</i> L. Marrow or Courgette	9
21 <i>Daucus carota</i> L. Carrot	10
21.1 <i>Daucus carota</i> L. Carrot	10
21.2 <i>Daucus carota</i> L. Fodder carrot	10
23 <i>Lactuca sativa</i> L. Lettuce	10
24 <i>Solanum lycopersicum</i> L. Tomato	11
25 <i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill Parsley	12
27 <i>Phaseolus vulgaris</i> L. French bean	12
27.1 <i>Phaseolus vulgaris</i> L. Dwarf French bean	12
27.2 <i>Phaseolus vulgaris</i> L. Climbing French bean	13
28 <i>Pisum sativum</i> L. (<i>partim</i>) Pea	13
28.1 <i>Pisum sativum</i> L. (<i>partim</i>) Wrinkled pea	13
28.2 <i>Pisum sativum</i> L. (<i>partim</i>) Round pea	13
28.3 <i>Pisum sativum</i> L. (<i>partim</i>) Sugar pea	13
29 <i>Raphanus sativus</i> L.	14
29.1 <i>Raphanus sativus</i> L. Radish	14
29.2 <i>Raphanus sativus</i> L. Black radish	14
31 <i>Scorzonera hispanica</i> L. Scorzonera / Black salsify	14
32 <i>Solanum melongena</i> L. Aubergine / Egg plant	14

	Page
33	<i>Spinacia oleracea</i> L. Spinach 14
35	<i>Vicia faba</i> L. (<i>partim</i>) Broad bean 14
36	<i>Zea mays</i> L. (<i>partim</i>) 15
36.1	<i>Zea mays</i> L. Sweet corn 15
36.2	<i>Zea mays</i> L. Popcorn 15
37	Species and interspecific crossings for use as rootstocks 15
37.1	<i>Cucurbita ficifolia</i> Bouché 15
37.2	<i>Cucurbita maxima</i> Duch. x <i>C. moschata</i> Duch. 15
37.3	<i>Lagenaria siceraria</i> (Mol.) Standl. 15
37.4	<i>Lycopersicon esculentum</i> L. x <i>S. habrochaites</i> <i>Solanum lycopersicum</i> L. x <i>S. habrochaites</i> 15
37.5	<i>Solanum lycopersicum</i> L. x <i>S. pimpinellifolium</i> 15
37.6	<i>Sicyos angulatus</i> 15
37.7	<i>Cucurbita moschata</i> 15
37.8	<i>Solanum torvum</i> Sw. 15
37.9	<i>Solanum melongena</i> x <i>Solanum torvum</i> 15
37.10	<i>Solanum lycopersicum</i> L. x <i>S. peruvianum</i> 15
37.11	<i>Solanum lycopersicum</i> L. 15
37.12	<i>Solanum aethiopicum</i> 15
37.13	<i>Capsicum annuum</i> 15
37.14	<i>Citrullus lanatus</i> 15
37.15	<i>Cucumis melo flexuosus</i> x <i>Cucumis melo melo</i> 15
37.16	<i>Solanum melongena</i> x <i>Solanum aethiopicum</i> 15

LEGEND

1. This fourth supplement to the 37th complete edition of the common catalogue of varieties of vegetable species ⁽¹⁾ takes up the modifications which have been necessary to add, in order to take into account information that the Commission has received from the Member States.
2. The present supplement follows the subdivision adopted in the 37th complete edition. Reference can be made to the legend of this edition.
3. This supplement covers the period up to 30 April 2019.
4. The modifications made to the 37th complete edition are indicated in column 4 in the following way:
 - ‘(add.):’ means a new position introduced into the common catalogue;
 - ‘(mod.):’ means a modification to an existing position. The indications relating to this position in the current supplement replace those in the 37th complete edition;
 - ‘(del.):’ means that the position and all indications which relate to it are deleted from the common catalogue.
5. This supplement concerns the varieties notified for which the provisions laid down in Article 16(1) of Council Directive 2002/55/EC ⁽²⁾ apply.
6. When the code of a maintainer does not appear in the 37th complete edition, the name of the maintainer and his address may be obtained from the authority indicated in the list for the Member State or EFTA country concerned.

⁽¹⁾ OJ C 467, 28.12.2018, p. 1.

⁽²⁾ OJ L 193, 20.7.2002, p. 33.

1. *Allium cepa* L. -

1	2	3	4	
1	Allium cepa L. - Aggregatum group - Shallot b EE 23 Allium cepa L. - Cepa group - Onion, Echalion		(add.)	
Jögeva 3				
2				
Barbaro			(del.)	
Bermuda			(del.)	
Contra			(del.)	
Dublet			(del.)	
Durango			(del.)	
Ibis			(del.)	
Ikaria			(del.)	
Jambalaya			(del.)	
Jögeva 3			(del.)	
Labrador			(del.)	
Profit			(del.)	
Santoku			(del.)	
Sofire		a NL 60		H (add.)
Ştirbei		a RO 1093		(add.)

2. *Allium fistulosum* L. - Japanese bunching onion / Welsh onion

1	2	3	4
Sprintesa			(del.)

3. *Allium porrum* L. - Leek

1	2	3	4
Autumn Giant 2			= Autumn Mammoth 2
Autumn Mammoth 2	b UK 189		(mod.) Autumn Giant 2 UK
– Gigante de otoño 2	b ES x		
– Herbstriesen 2	a DE x		
Bombardier			(del.)
Callahan			(del.)
Gigante de otoño 2			= Autumn Mammoth 2
Gladius	a PL x		H (add.)
Herbstriesen 2			= Autumn Mammoth 2
Herfstreuzen 2			(del.)
Krakatoa			(del.)
Parizade			(del.)
Tomis	a RO 1093		(add.)

4. *Allium sativum* L. - Garlic

1	2	3	4
Hortus	a PL 67		(add.) V

7. *Apium graveolens* L. - Celery

1	2	3	4
1	Apium graveolens L. - Celery		
2 Bruno	Apium graveolens L. - Celeriac a PL 286		(add.)

9. *Beta vulgaris* L. -

1	2	3	4
1 Alvro-Mono Belushi Bull's Blood Cylindra Mars Nelson Roy	Beta vulgaris L. - Beetroot, including Cheltenham beet a NL x, b UK 31 b NL x a CZ 1187, b ES 31, b NL x, b UK 176 a PL 92		(mod.) (del.) (mod.) (mod.) H (add.) (del.) (del.)
2 Sergio	Beta vulgaris L. - Spinach beet or Chard		(del.)

10. *Brassica oleracea* L. -

1	2	3	4
1	Brassica oleracea L. - Curly kale		
2 Dogmatis Flame Star Sapporo	Brassica oleracea L. - Cauliflower b NL 79		(del.) H (add.) (del.)
3 Monfils	Brassica oleracea L. - Sprouting broccoli / Calabrese		(del.)
4	Brassica oleracea L. - Brussels sprouts		
5 Emerald	Brassica oleracea L. - Savoy cabbage		(del.)
6 Damianos Fortex Geo Baner Lotus Markiza Mighty Boy Performa Reserva	Brassica oleracea L. - White cabbage a PL 1095 a BG 141 a RO 2192		H (add.) (del.) H (add.) (del.) (del.) (add.) (del.) (del.)
7 Gilt Granita Royale	Brassica oleracea L. - Red cabbage a PL 928		H (add.) (del.) (del.)
8 Wisla	Brassica oleracea L. - Kohlrabi		(del.)

10. Brassica oleracea L. - Varieties developed for growing under particular conditions

1	2	3	4
1	Brassica oleracea L. - Curly kale		
2	Brassica oleracea L. - Cauliflower		
3 Purple Wave	Brassica oleracea L. - Sprouting broccoli / Calabrese UK		(add.)
4	Brassica oleracea L. - Brussels sprouts		
5	Brassica oleracea L. - Savoy cabbage		
6	Brassica oleracea L. - White cabbage		
7	Brassica oleracea L. - Red cabbage		
8	Brassica oleracea L. - Kohlrabi		

11. Brassica rapa L. -

1	2	3	4
1 Michico Vitimo	Brassica rapa L. - Chinese cabbage		(del.) (del.)
2	Brassica rapa L. - Turnip		

12. Capsicum annum L. - Chili, Pepper

1	2	3	4
Apulum	a RO 1093		H (add.)
Aurelius	a RO 1093		H (add.)
Cantemir	a RO 1033		(add.)
Centenar	a RO 1104		(add.)
Cherna shipka	b BG 16		(add.)
Compás			(del.)
Contredanse	a NL 108		H (add.)
Copla			(del.)
Duga bela	a BG 143		(add.)
Dvorská	a SK 338		(add.)
E20S0153	a NL 26		H (add.) ⁽¹⁾
Eagle			(del.)
Enchilada			(del.)
Green Field	a RO 1115		(add.)
Idilio			(del.)
Inzell			(del.)
Jalti ribki	b BG 16		(add.)
Kamelia	a BG 141		H (add.)
Minicor	a RO 1133		(add.)
Ofanto			(del.)
Ora Long	a RO 1133		(add.)
Oranjevi ribki	b BG 16		(add.)
Orelia	a PL 286		H (add.)

12. *Capsicum annuum* L. - Chili, Pepper

1	2	3	4
Pancho			(del.)
Peleş	a RO 1093		H (add.)
Plovdivski ratund PC 2	a BG x		(add.)
Polenta			(del.)
Praktica	a NL 108		H (add.)
Ristra			(del.)
Sadovo M	a BG x		(add.)
Shipka Lyutina	b BG 16		(add.)
Tabetha	a BG 18		H (add.)
Teucro			(del.)
Texan			(del.)
Tonderos	a NL 108		H (add.)
Topzel	a NL 108		(add.)
Tordion			(del.)
Totalisa	a NL 108		H (add.)
Valahia	a RO 1093		H (add.)
Verset			(del.)
Viana			(del.)
Žitavská	a SK 338		(add.)

12. *Capsicum annuum* L. - Chili, Pepper - Varieties developed for growing under particular conditions

1	2	3	4
Black Fangs	UK		(add.)

13. *Cichorium endivia* L. - Endive

1	2	3	4
1 Sabinal	Cichorium endivia L. - Curled-leaved endive		(del.)
2	Cichorium endivia L. - Plain-leaved endive		

14. *Cichorium intybus* L. - Chicory

1	2	3	4
1 Selfine	Cichorium intybus L. - Witloof chicory a NL 139		H (add.)
2	Cichorium intybus L. - Large-leaved chicory / Italian chicory		
3	Cichorium intybus L. - Industrial chicory		

16. *Cucumis melo* L. - Melon

1	2	3	4
BRA 13064	b ES 10		H (add.) ⁽¹⁾
Sorolla	b ES 84		H (add.)
Superstar			(del.)

17. *Cucumis sativus* L. - Cucumber/Gherkin

1	2	3	4
1	<i>Cucumis sativus</i> L. - Cucumber		
Ango			(del.)
Automnia			(del.)
Brasilia			(del.)
Cantor			(del.)
Centinela	b ES 6313		H (add.)
Citron			(del.)
Colosseum	a RO 1093		H (add.)
Cosaco	b ES 10		H (add.)
Dogo	b ES 63		H (add.)
Ferox			(del.)
Fianchetto			(del.)
Helias			(del.)
Mystica			(del.)
Palmera			(del.)
Romo			(del.)
Samanta	b BG 16		H (add.)
Sepalin	a NL 60		H (add.)
Shinysun	b NL 108		H (add.)
Skywell	b NL 108		H (add.)
Tejo	b ES 10		H (add.)
2	<i>Cucumis sativus</i> L. - Gherkin		
Charleston			(del.)
Florist	a RO 1133		(add.)
Fuga			(del.)
Gaja	a PL 942		H (add.)
Gravina			(del.)
Lasso			(del.)
Promotor	a PL 16		H (add.)
Starter	a PL 187		H (add.)
Wagner			(del.)
Yorker			(del.)

18. *Cucurbita Maxima* Duchesne - Gourd

1	2	3	4
Rumba			(del.)

19. *Cucurbita pepo* L. - Marrow or Courgette

1	2	3	4
Aureus	a PL 16		H (add.)
Basia	a BG 141		H (add.)
Cerna	a RO 1093		(add.)
Dona	a BG 142		H (add.)
Dragon	a BG 141		H (add.)
Dukat			(del.)
Esencia	b ES 84		H (add.)
Fanfara			(del.)
Izabel	a BG 142		H (add.)
Kandy			(del.)
Midas	a PL 286		H (add.)

19. Cucurbita pepo L. - Marrow or Courgette

1	2	3	4
Mustang			(del.)
Negri			(del.)
Omar			(del.)
Picador			(del.)
Santa			(del.)

21. Daucus carota L. - Carrot

1	2	3	4
1	Daucus carota L. - Carrot		
Ambrosia			(del.)
Berkos	a CZ 1495		H (add.)
Formosa			(del.)
Grivola			(del.)
Kuroda	b NL 21		(add.)
Liberty			(del.)
Riga			(del.)
Stanford			(del.)
2	Daucus carota L. - Fodder carrot		

23. Lactuca sativa L. - Lettuce

1	2	3	4
8126 RZ			(del.)
Antylia			(del.)
Asia	a PL 286		(add.)
Avicinas			(del.)
Brenson			(del.)
Corintia	a NL 108		(add.)
Cornelianas			(del.)
Delibes			(del.)
Diveria			(del.)
Elliosca			(del.)
Gagarin	a NL 108		(add.)
Garethia	a NL 108		(add.)
Helvius			(del.)
Higgs	a NL 108		(add.)
Italina			(del.)
Jannica			(del.)
Jota			(del.)
Lagunas			(del.)
Limona Hortag			(del.)
Loredo			(del.)
Madras			(del.)
Mattinas			(del.)
Nemona			(del.)
Olimpia			(del.)
Pandero			(del.)
Redsea			(del.)
Renoir			(del.)
Rockport			(del.)
Saratoga			(del.)

23. *Lactuca sativa* L. - Lettuce

1	2	3	4
Sondo	a NL 108		(add.)
Tiara			(del.)
Valladolid	b ES 9		(add.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
72703 RZ			(del.)
Arlyco			(del.)
Axel			(del.)
Banato	a RO 1148		H (add.)
Beaumonde			(del.)
Bonaparte			(del.)
Brigadier			(del.)
Bybal			(del.)
Camry			(del.)
Crina	a RO 1093		(add.)
Cunero			(del.)
Daltoma	a NL 108		H (add.)
Dorca	a RO 1093		(add.)
Elanto			(del.)
Emiliana	a RO 1033		(add.)
Farrokh	a BG 150		H (add.)
Florelia	a RO 1033		(add.)
Gandellino	a ES 343		H (add.)
Geo Galy	a BG 141		H (add.)
Grammy			(del.)
Graviton			(del.)
Harris	a BG 141		H (add.)
Hera	a RO 1033		(add.)
Janko	a PL 16		H (add.)
Kerasma			(del.)
Korino	b ES 6229		H (add.)
Langundo			(del.)
Lemon Sherbet	a NL 79, a UK 262		H (mod.)
LS7029	a BG 141		H (add.) ⁽¹⁾
LS8132	a BG 141		H (add.) ⁽¹⁾
LS9715	a BG 141		H (add.) ⁽¹⁾
Lunaverde			(del.)
MAL200	a PL 673		H (add.) ⁽¹⁾
MAL280	a PL 673		H (add.) ⁽¹⁾
Manay	a ES 5108		H (add.)
Martyra	b ES 6322		H (add.)
Medelina	b BG 16		(add.)
Miruna	a RO 1148		H (add.)
Moldoveanu	a RO 1093		H (add.)
Montealto			(del.)
N 6410			(del.)
Naisha	a BG 150		H (add.)
Narodna harmonia	b BG 121		(add.)
Oltena	a RO 1093		H (add.)
Peardrops	a NL 79, a UK 262		H (mod.)
Pinki fen	b BG 121		(add.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Pinoso			(del.)
Pionento			(del.)
Pradollano			(del.)
Raspberry Ruffles	a NL 79, a UK 262		H (mod.)
Rayosol			(del.)
Roliana	a RO 1033		(add.)
Rosaryta	b ES 506		H (add.)
Rozali	b BG 16		(add.)
Sandybelle	a RO 1093		(add.)
Santoria	a PL 673		H (add.)
Scipio			(del.)
Sorada	a RO 1148		H (add.)
Theano	a BG 141		H (add.)
Tomtim	a RO 1148		(add.)
Tradicia			(del.)
TT 581	b ES 6229		H (add.) ⁽¹⁾
TT 705	b ES 6229		H (add.) ⁽¹⁾
USAB29	a RO 1148		(add.) ⁽¹⁾
Vampi	a ES 343		H (add.)
Zaira	a RO 1093		(add.)

25. *Petroselinum crispum* (Mill.) Nyman ex A. W. Hill - Parsley

1	2	3	4
Cukrowa	a PL x		(mod.)
Gala			(del.)
Hamburska			(del.)
Pesto			(del.)

27. *Phaseolus vulgaris* L. - French bean

1	2	3	4
1	Phaseolus vulgaris L. - Dwarf French bean		
Albany			(del.)
Almaty			(del.)
Andante			(del.)
Anjou			(del.)
Avalon			(del.)
Bellini			(del.)
Bogey			(del.)
Cachet			(del.)
Caledonia	a PL 994		(add.)
Calgary			(del.)
Canzone			(del.)
Catalina	a PL 994		(add.)
Contada	a NL 140		(add.)
Croma	a NL 140		(add.)
Dakota			(del.)
Delos			(del.)
Domena	a PL 1087		(add.)
Doreno			(del.)
Facta	a DE 9089		(mod.)

27. *Phaseolus vulgaris* L. - French bean

1	2	3	4
Fancy	a PL 994		(add.)
Fidenza			(del.)
Flevaro			(del.)
Green Arrow			(del.)
Jaga	a PL 286		(add.)
Jersey			(del.)
Jubba			(del.)
Kierion	a BG 21		(add.)
Lidensia	a PL 286		(add.)
Maxigold	a PL 187		(add.)
Nevis			(del.)
Pacifica			(del.)
Pereika	a PL 187		(add.)
Redonda	a PL 994		(add.)
Sherpa	a NL 140		(add.)
Synergia	a PL 1087		(add.)
Vectra			(del.)
Vespa			(del.)
Victoria			(del.)
2	Phaseolus vulgaris L. - Climbing French bean		
Abundancia	a ES x		(mod.) Blue lake a grano nero IT Bobis nero IT Perfeccion negra ES Potomac ES
– Bobis a grano nero	b IT x		
Bernerlandfrauen			(del.)
Blue lake a grano nero			= Abundancia
Blue Lake Black Seeded			(del.)
Bobis a grano nero			= Abundancia
Bobis nero			= Abundancia
Buenos Aires	a ES 241		(mod.)
Francesca	a NL 8		(add.)
Perfeccion negra			= Abundancia
Potomac			= Abundancia

28. *Pisum sativum* L. (partim) - Pea

1	2	3	4
1	Pisum sativum L. (partim) - Wrinkled pea		
Lochsa	a DE 10234, a NL 9004		(mod.)
Sapphire	a NL 275		(add.)
SV5685QG	a NL 78a		(add.) ⁽¹⁾
2	Pisum sativum L. (partim) - Round pea		
Annonay			(del.)
D'Annonay			= Nain très hâtif
Nain très hâtif	b FR x		D'Annonay FR
3	Pisum sativum L. (partim) - Sugar pea		
Kent			(del.)
Sugar Prince	a NL 79		(add.)

28. Pisum sativum L. (partim) - Pea - Conservation varieties

1	2	3	4
1 Vanaema hernes	Pisum sativum L. (partim) - Wrinkled pea b EE 125		(add.) Region of origin:Estonia
2	Pisum sativum L. (partim) - Round pea		
3	Pisum sativum L. (partim) - Sugar pea		

29. Raphanus sativus L. -

1	2	3	4
1 Alba Alusia Arianna Cerasella Cherry Belle – Ciliegia Ciliegia Ewka Fiona Fulga Orla Tytan	Raphanus sativus L. - Radish a PL 286 a NL x, b UK 38 b IT 66 a PL 286 a RO 1093 a PL 286		(del.) (add.) (del.) = Cherry Belle (mod.) Cerasella IT = Cherry Belle (add.) (del.) (add.) (add.) (del.)
2	Raphanus sativus L. - Black radish		

31. Scorzonera hispanica L. - Scorzonera / Black salsify

1	2	3	4
Alpha	b NL 109d		(mod.)

32. Solanum melongena L. - Aubergine / Egg plant

1	2	3	4
Minerva Romanița Trezor	a RO 1093 a RO 1033 a BG 141		H (add.) (add.) H (add.)

33. Spinacia oleracea L. - Spinach

1	2	3	4
Brighttoucan Pigeon Turaco			(del.) (del.) (del.)

35. Vicia faba L. (partim) - Broad bean

1	2	3	4
Gold Optica	a NL 109d a NL 109d		(mod.) (mod.)

36. *Zea mays* L. (partim) -

1	2	3	4
1 Comanche MHR Agitka Navaho	Zea mays L. - Sweet corn a PL 321		(del.) H (add.) (del.)
2	Zea mays L. - Popcorn		

37. - Species and interspecific crossings for use as rootstocks

1	2	3	4
1	Cucurbita ficifolia Bouché -		
2 Aquiles Tetsukabuto	Cucurbita maxima Duch. x C. moschata Duch. - b NL x		(del.) H (mod.)
3	Lagenaria siceraria (Mol.) Standl. -		
4 Magnitude	Lycopersicon esculentum L. x S. habrochaites - Solanum lycopersicum L. x S. habrochaites		(del.)
5	Solanum lycopersicum L. x S. pimpinellifolium -		
6	Sicyos angulatus -		
7 Basalt	Cucurbita moschata - a NL 108		H (add.)
8	Solanum torvum Sw. -		
9	Solanum melongena x Solanum torvum -		
10	Solanum lycopersicum L. x S. peruvianum -		
11	Solanum lycopersicum L. -		
12	Solanum aethiopicum -		
13	Capsicum annuum -		
14	Citrullus lanatus -		
15	Cucumis melo flexuosus x Cucumis melo melo -		
16	Solanum melongena x Solanum aethiopicum -		

ISSN 1977-091X (electronic edition)
ISSN 1725-2423 (paper edition)



Publications Office of the European Union
L-2985 Luxembourg
LUXEMBOURG

EN